

Panasonic




Ceiling-hanging bracket TY-CE103PS10

Product specification (design and specification subject to change without notice)

Dimensions (W x H x D)	63.2" x 26.2" x 55.9" (1605 x 665 x 1421 mm)
Weight	Vertical hanging: approx. 33.1 lbs. (15 kg) / Inclined hanging: approx. 81.6 lbs. (37 kg)
Carton Dimensions (W x H x D)	65.2" x 8.7" x 10.7" (1657 x 222 x 273 mm)
Gross weight	approx. 92.6 lbs. (42 kg)
Accessories	<p>Main parts</p> <ul style="list-style-type: none"> - Column (L/R) (1) - Base (2) - Plate (12) - Collar (14) - Insulating collar (1, 2) (8) - Protective collar (8) - Frame (2) - Stay (2) - Joint (1) -Gasket (6) <p>Accessory parts</p> <ul style="list-style-type: none"> - M16 bolt (80 mm) (20) - M8 bolt (60 mm) (22) - M8 bolt (20 mm) (4) - Allen wrench (small) (1) - Allen wrench (large) (1) - Plain washer (large) (34) - Spring washer (large) (20) - Nut (large) (14) - Plain washer (small) (22) - Spring washer (small) (22) - Nut (small) (26)


DIMENSIONS When attaching the LCD Display (TH-98LQ70) (Vertical hanging)

Cautions: This drawing is not a scale
Units : inches (mm)



DIMENSIONS When attaching the LCD Display (TH-98LQ70) (Inclined hanging)
 : LQ70/LQ70L series (up to 10 degree setting)



Cautions: This drawing is not a scale
 Units : inches (mm)



R	5°	10°
	inches (mm)	inches (mm)
A	50.5 (1283)	49.9 (1268)
B	9.7 (245)	10.1 (256)
C	3.5 (90)	3.9 (100)
D	1.0 (26)	1.0 (26)
E	23.0 (584)	22.7 (576)
F	22.5 (571)	22.0 (578)
G	16.7 (425)	16.7 (425)
H	13.4 (340)	12.1 (307)
I	4.8 (123)	4.8 (122)
J	19.1 (484)	18.7 (474)
K	54.8 (1391)	54.0 (1371)
L	60.2 (1528)	60.0 (2525)
M	18.1 (459)	13.2 (335)
N	10.3 (261)	5.9 (149)


DIMENSIONS When attaching the Plasma Display (Vertical hanging)

Cautions: This drawing is not a scale
Units : inches (mm)



DIMENSIONS When attaching the Plasma Display (Inclined hanging)

Cautions: This drawing is not a scale
Units : inches (mm)



Units : inches (mm)

Angle Model Dimension	5°		10°		15°		20°	
	PF series	PB series	PF series	PB series	PF series	PB series	PF series	PB series
A	55.8 (1416)	55.7 (1414)	55.2 (1400)	55.1 (1398)	54.1 (1373)	54.0 (1371)	52.6 (1336)	52.5 (1334)
B	7.1 (180)		7.6 (192)		8.0 (204)		8.5 (215)	8.5 (214)
C	3.6 (90)		3.9 (100)		4.3 (109)		4.6 (118)	
D	1.1 (26)		1.1 (26)		1.1 (26)		1.0 (26)	
E	23.0 (584)	22.8 (579)	22.7 (576)	22.7 (577)	22.6 (573)	22.6 (574)	26.2 (665)	
F	22.8 (578)		22.7 (576)	22.5 (570)	22.4 (567)	22.1 (561)	25.7 (652)	25.5 (646)
G	16.7 (425)		16.7 (425)		16.7 (423)		16.6 (421)	
H	13.4 (340)		12.1 (307)		10.8 (274)		13.3 (338)	
I	4.8 (123)		4.8 (122)		4.7 (120)		8.4 (214)	
J	19.1 (484)		18.7 (474)		18.2 (462)		17.6 (446)	
K	54.8 (1391)		54.0 (1371)		52.8 (1341)		51.3 (1302)	
L	62.8 (1596)	62.8 (1594)	62.7 (1592)	62.6 (1590)	62.1 (1577)	62.0 (1574)	61.1 (1551)	61.0 (1548)
M	18.1 (461)	17.9 (454)	13.0 (330)	12.8 (324)	7.9 (200)	7.7 (194)	6.5 (166)	6.4 (161)
N	10.3 (261)		5.9 (149)		1.5 (39)		1.0 (26)	