

Camera/Recorder Compatibility

	Function	WV-X8570M/X8570B	WV-X6531N(X6511N)X6531NS	WV-X4171/X4571L/X4571LM	WV-X4170	WV-SFV781L/SPV781L	WV-SUD638	WV-S1132/S1131	WV-S1530L	WV-S1531LN/S1531LTN S1531LNS	WV-S2131L/S2131/S2130	WV-S2231	WV-S2530L/S2230L	WV-S2531LN/S2531LTN
WJ-NX400 (V1.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes
	Audio *8	yes (for X8570N)	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V1.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes
	Audio *8	yes (for X8570N)	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX200 (V1.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes
	Audio *8	yes (for X8570N)	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V2.20) *14	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	no	-	-	-	-	no	no	no	no	no	no	no
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-
Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V1.40) *14 (Discontinued model)	MJPEG	-	[SW598]	-	-	-	[SW598]	[SPN631]	-	[SPW631]	[SFM631]	[SPW631]	-	[SFM631]
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	[SW598] *21*22	-	-	[SW598]	[SPN631]*22	-	[SPW631]*22	[SFM631]*22	[SPW631]*22	-	[SFM631]*22	
	H.265	-	-	-	-	-	no	-	no	no	no	-	no	
	Audio *8	-	[SW598]	-	-	[SW598]	[SPN631]	-	[SPW631]	[SFM631]	[SPW631]	-	[SFM631]	
	PTZ	-	[SW598]	-	-	[SW598]	-	-	-	-	-	-	-	
Motion detection (VMD)	-	[SW598]	-	-	[SW598]	[SPN631]	-	[SPW631]	[SFM631]	[SPW631]	-	[SFM631]		
WJ-ND400K (V4.00) *14	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes*15,*19	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	no	no	no	no	no	no	no
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-
Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	[SC385]*2	-	-	-	[SC385]*2	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2	-	[SP305] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	[SC385]	-	-	-	[SC385]	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	[SC385]*2	-	-	-	[SC385]*2	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2	-	[SP305] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	[SC385]	-	-	-	[SC385]	[SP305]	-	[SP305]	[SP305]	[SP305]	-	[SP305]
	PTZ	-	[SC385]	-	-	-	[SC385]	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
***23 :Supported G.726/32kbps and AAC-LC/64kbps**

Camera/Recorder Compatibility

	Function	WV-SPN611/SPN631	WV-SPW631LT/SPW631L	WV-SFN611L/SFN631L/SFN611L/SFN631L/SFN611L/SFN631L/SFN631LT	WV-SPW611L/SPW611	WV-SPN531/SPN531A	WV-SPW532L	WV-SPW531AL	WV-SFN531/SFN531/SFN531	WV-SW598/SW598A/SC588/SC588A	WV-S6530N	WV-S6131/S6111/S6130	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538
WJ-NX400 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX200 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	yes	yes	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V2.20) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	no	no	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V1.40) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SW598]	[SW598]	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes*12	yes*12	yes*12	yes*12	yes*12	yes*12	yes*12	yes*12	yes	[SW598] *21*22	[SW598] *21*22	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	no	no	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SW598]	[SW598]	yes	-
	PTZ	-	-	-	-	-	-	-	-	yes	[SW598]	[SW598]	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SW598]	[SW598]	yes	yes	
WJ-ND400K (V4.00) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	no	no	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SP305] *2	[SP305] *2	[SF335] *2	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2	[SF335] *2	[SC385] *2	[SP305] *2	[SC385] *2	[SF335] *2	[SP102] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	[SC385]	[SC385]	[SC385]	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SP305] *2	[SP305] *2	[SF335] *2	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2	[SF335] *2	[SC385] *2	[SC385] *2	[SC385] *2	[SF335] *2	[SF335] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SP305]	[SP305]	[SF335]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SF335]	[SC385]	[SC385]	[SC385]	[SF335]
	PTZ	-	-	-	-	-	-	-	-	-	[SC385]	[SC385]	[SC385]	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.

*1 : Only for remote PTZ cameras.

*2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

*3 : Each recorder supports only wireline connection.

*4 : Displaying 16:9 is not supported on a NDR browser.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726 and 32kbps.

*11 : This function is supported only when playing back.

*12 : Supported up to 30 fps

*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.

*17 : The fish-eye dewarp function on the main monitor is supported.

*18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).

*19 : Supported maximum bitrate is 14Mbps.

*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

*21 : Support less than 1280x720 for WV-X6511N

*22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

***23 : Supported G.726/32kbps and AAC-LC/64kbps**

Camera/Recorder Compatibility

	Function	WV-SP509	WV-SP508	WV-NW502S/NP502	WV-S4550L/S4550LM	WV-S4150	WV-SFV481/SFV480 *7	WV-SW458/SW458MA/ SF438/SF448E *7	WV-S1112/S1111	WV-S1511LN	WV-S2111L/S21110	WV-S2311	WV-S2511LN	WV-SPN310/SPN311/ SPN310A/SPN311A
WJ-NX400 (V1.20) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	yes	yes	-	-	yes	yes	yes	yes	yes	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V1.20) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	yes	yes	-	-	yes	yes	yes	yes	yes	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX200 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	yes	yes	-	-	yes	yes	yes	yes	yes	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V2.20) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	no	no	no	no	no	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V1.40) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	no*13	yes	[SPN631]	[SPW631]	[SFP631]	[SFP631]	[SFP631]	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	no*13	yes	[SPN631]*22	[SPW631]*22	[SFP631]*22	[SFP631]*22	[SFP631]*22	yes*12
	H.265	-	-	-	-	-	-	-	no	no	no	no	no	-
	Audio *8	yes	yes	yes	yes	yes	no*13	yes	[SPN631]	[SPW631]	[SFP631]	[SFP631]	[SFP631]	yes
	PTZ	-	-	-	-	-	-	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	no*13	yes	[SPN631]	[SPW631]	[SFP631]	[SFP631]	[SFP631]	yes	
WJ-ND400K (V4.00) *14	MJPEG	yes	yes	yes	yes	yes	yes*15	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes*15,*18,*19	yes*18	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	no	no	no	no	no	-
	Audio *8	yes	yes	yes	yes	yes	yes*15	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes*15	yes	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes*15	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SP305] *2	[SP102] *2	yes *2	-	-	-	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305]*2
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SP305] *2	[SP305] *2	yes *2	-	-	-	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305]*2
	MPEG4	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SP305]	-	yes	-	-	-	-	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.

*1 : Only for remote PTZ cameras.

*2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

*3 : Each recorder supports only wireline connection.

*4 : Displaying 16:9 is not supported on a NDR browser.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726 and 32kbps.

*11 : This function is supported only when playing back.

*12 : Supported up to 30 fps

*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.

*17 : The fish-eye dewarp function on the main monitor is supported.

*18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).

*19 : Supported maximum bitrate is 14Mbps.

*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

*21 : Support less than 1280x720 for WV-X6511N

*22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

***23 :Supported G.726/32kbps and AAC-LC/64kbps**

Camera/Recorder Compatibility

	Function	WV-SPW312L	WV-SPW311AL	WV-SPW311LH	WV-SFN311/SFN311A/SFN310/SFN311A/SFN311L/SFR311/SFR311A/SFR310/SFR310A/SFV311/SFV311A/SFV310/SFV310A	WV-SW397/SW397A/SW397B	WV-SC387/SC387A	WV-SW386/SW395/SC386/SC384	WV-SC385	WV-SW355/SW352/SF346/SF342	WV-SF330 series SP300 series	WV-SW316L/SW316	WV-SW314	WV-SFV130(M)/SFV110(M)
WJ-NX400 (V3.38) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	no	no	no	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V3.38) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	no	no	no	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX200 (V3.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	no	no	no	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V2.20) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	no	no	no	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.40) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	-
	H.264	yes*12	yes*12	yes*12	yes*12	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND400K (V4.00) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes	yes	yes	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SP305]*2	[SP305]*2	[SP305]	[SF335]*2	[SC385]	[SC385]	[SC385]	[SC385]	[SF335]	[SC385]	[SP305]	[SP102]	[SF335]*2
	MPEG4	-	-	-	-	-	-	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]
	H.264	-	-	-	-	-	-	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	[SC385]	[SC385]	[SC385]	yes	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SP305]*2	[SP305]*2	[SP305]	[SF335]*2	[SC385]	[SC385]	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	[SF335]*2
	MPEG4	-	-	-	-	-	-	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]
	H.264	-	-	-	-	-	-	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	[SP305]	[SP305]	[SF335]	[SC385]	[SC385]	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	[SF335]
	PTZ	-	-	-	-	[SC385]	[SC385]	[SC385]	yes	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.

*1 : Only for remote PTZ cameras.

*2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality;5-9 and the frame rate;up to 5fps.

*3 : Each recorder supports only wireline connection.

*4 : Displaying 16:9 is not supported on a NDR browser.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726 and 32kbps.

*11 : This function is supported only when playing back.

*12 : Supported up to 30 fps

*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

*14 : Streams of H.264(3) and H.264(4) are not supported

*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.

*17 : The fish-eye dewarp function on the main monitor is supported.

*18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).

*19 : Supported maximum bitrate is 14Mbps.

*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

*21 : Support less than 1280x720 for WV-X6511N

*22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

***23 :Supported G.726/32kbps and AAC-LC/64kbps**

Camera/Recorder Compatibility

	Function	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SW115	WV-SF135/SF132	WV-SP105/SP102	WV-SW175/SW172/ST165/ST162	WV-SW174W*3	BB-HCM7 series	BB-HCM5 series	WJ-GXE500	WJ-GXE100
WJ-NX400 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-NX300 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-NX200 (V1.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-NV300 (V2.20) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-NV200 (V1.40) *14 (Discontinued model)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-ND400K (V4.00) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	no	-	no	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	-	-	-	-	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	-	yes	yes	yes *1	yes *1	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SF335]*2	[SF335]*2	[SF335]	[SP102]	yes	[SC385]	[SC385]	yes	yes	yes	[GXE500 ch1]
	MPEG4	-	-	-	-	-	-	-	yes	-	yes	-
	H.264	-	-	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	[SC385]	[SC385]	yes *1	yes *1	yes	[GXE500 ch1]
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SF335]*2	[SF335]*2	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes	yes	yes	[GXE500 ch1]
	MPEG4	-	-	-	-	-	-	-	yes	-	yes	-
	H.264	-	-	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SF335]	[SF335]	-	-	-	[SC385]	[SC385]	yes	-	yes (ch1)	-
	PTZ	-	-	-	-	-	[SC385]	[SC385]	yes *1	yes *1	yes	[GXE500 ch1]

[substitute model] : Register as a substitute model.

*1 : Only for remote PTZ cameras.

*2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

*3 : Each recorder supports only wireline connection.

*4 : Displaying 16:9 is not supported on a NDR browser.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726 and 32kbps.

*11 : This function is supported only when playing back.

*12 : Supported up to 30 fps

*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.

*17 : The fish-eye dewarp function on the main monitor is supported.

*18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).

*19 : Supported maximum bitrate is 14Mbps.

*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

*21 : Support less than 1280x720 for WV-X6511N

*22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

***23 : Supported G.726/32kbps and AAC-LC/64kbps**

	Function	WV- X2070N1/S2070N	WV- X6531N1/X6511N1 X6531NS	WV- X4171/X4571L/X4571LM	WV-X4170	WV- SPV781L/SPV781L	WV-SUD638	WV-S1132/S1131	WV-S1030L	WV-S1531LN/S1531LTN S1531LNS	WV-S2131L/ S2131/S2130	WV-S2231	WV-S2030L/S2200L	WV-S2531LN/S2531LTN	WV- SPN611/SPN631
WV-ASM300 (V1.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes	-
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	yes	-	-	-	-	-	-	-	-
Direct connection	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	-	-	yes*18	yes	yes	-	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	-	-	-	yes	yes	yes	yes	yes	yes	-	yes	yes
WV-ASM200 (V5.10)	PTZ	-	yes	-	-	-	yes	yes	-	yes	yes	yes	-	yes	-
	RTP over HTTP	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	MPEG	-	-	-	-	yes	yes	-	-	-	-	-	-	-	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	yes	yes	-	-	-	-	-	-	-	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	-	-	-	-	yes	yes	-	-	-	-	-	-	-	yes
	PTZ	-	-	-	-	yes*21	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	-	-	yes*19	yes	yes	-	yes	yes	yes	-	yes	yes
WV-ASC970 (Ver19.00)	H.265	-	yes	-	-	-	-	-	-	yes	yes	yes	-	-	-
	Audio*8	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	PTZ	-	-	-	-	yes	yes	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	MPEG	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	yes	-	-	yes	yes	yes	-	yes	yes	yes	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	-	Unverified	-	-	yes	yes	Unverified	-	Unverified	Unverified	Unverified	-	Unverified	yes
BB-HNP17 (Ver4.05)	MPEG4	-	Unverified	-	-	yes	yes	Unverified	-	Unverified	Unverified	Unverified	-	Unverified	yes
	H.264	-	Unverified	-	-	-	-	Unverified	-	Unverified	Unverified	Unverified	-	Unverified	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	Unverified	-	-	yes	yes	Unverified	-	Unverified	Unverified	Unverified	-	Unverified	yes
	PTZ	-	-	-	-	yes*22	yes	-	-	-	-	-	-	-	-
	RTP over HTTP	-	Unverified	-	-	yes	yes	Unverified	-	Unverified	Unverified	Unverified	-	Unverified	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SPW631LT/SPW631L	WV-SFN611L/SFN631L/SFR611L/SFR631L/SFV611L/SFV631L/SFV631LT	WV-SPW611L/SPW611	WV-SPN531	WV-SPN531A	WV-SPW532L	WV-SPW531AL	WV-SFN531/SFR531/SFV531	WV-SW598/SW598A/SC588/SC588A	WV-S6530N	WV-S6131/S6111/S6130	WV-SW559/SF549/SF539/SP509	WV-SW558/SF548/SF538/SP508	WV-NW502S/NP502	
WV-ASM300 (V1.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes	-	-
Direct connection	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	Unverified	Unverified	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	Unverified	Unverified	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
WV-ASM200 (V5.10)	PTZ	-	-	-	-	-	-	-	-	yes	Unverified	Unverified	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	yes	-	-	yes	-	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	Unverified	Unverified	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	Unverified	Unverified	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	Unverified	Unverified	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	yes	-	-	-	-	-	-
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV- S4550L/S4550LM	WV-S4150	WV- SFV481/SFN480 *7	WV- SW458/SW458MA/ SF438/SF448E *7	WV- S4150/S4550L/S4550LM	WV-S1112/S1111	WV-S1511LN	WV-S2111L/S21110	WV-S2211	WV-S2511LN	WV- SPN310/SPN311/ SPW311LH	WV- SPN310A/SPN311A	WV-SPW312L	WV-SPW311AL
WV-ASM300 (V1.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes*17,*18	yes	yes	yes*17,*18	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	-	-	-	-	yes	yes	yes	yes	-	-	-	-
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	yes	yes	yes	yes	yes	-	-	-	-	-	-	-	-	-
Direct connection	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	Unverified	Unverified	yes	yes	Unverified	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	Unverified	Unverified	yes*17,*18	yes	Unverified	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	Unverified	Unverified	yes	yes	Unverified	yes	yes	yes	yes	yes	yes	yes	-	yes
WV-ASM200 (V5.10)	PTZ	Unverified	Unverified	yes	yes	Unverified	-	-	-	-	-	-	-	-	-
	RTP over HTTP	Unverified	Unverified	yes	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	-	-	-	-	-	-	-	-	-	-	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	yes	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	Unverified	Unverified	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	Unverified	Unverified	yes*17,*19	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASC970 (Ver19.00)	H.265	Unverified	Unverified	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	Audio*8	Unverified	Unverified	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	Unverified	Unverified	yes	yes	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	Unverified	Unverified	yes	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	-	-	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes	yes
BB-HNP17 (Ver4.05)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes*16	yes	Unverified	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes	-	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SFN311/SFN310/SFN311L/SFR311/SFR310/SFV311/SFV310	WV-SFN311A/SFN310A/SFR311A/SFR310A/SFV311A/SFV310A	WV-SW397/SW397A/SW397B/SC387/SC387A	WV-SW396/SW395/SC386/SC385/SC384	WV-SW355/SW352/SF346/SF342	WV-SF330 series SP300 series	WV-SW316L/SW316	WV-SW314	WV-SFV130(M)/SFV110(M)	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SF135/SF132/SW115	WV-SP105/SP102	WV-SW175/SW172/ST165/ST162
WV-ASM300 (V1.00)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes
	PTZ	-	-	yes	yes	yes	-	-	-	-	-	-	-	-	-
Direct connection	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	yes
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	-	-	yes
Direct connection to camera	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASM100 (Ver.8.00) *5,*14	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver.2.21) *6,*14,*20	MPEG4	-	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	MPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	-	-	yes
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum resolution is 1280x960. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SW174W	BB-HCM7 series	BB-HCM5 series	WJ-GXE500	WJ-GXE100
WV-ASM300 (v1.00)	MPEG	yes	-	-	yes	yes
	MPEG4	-	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio*23	yes	-	-	yes (ch1)	-
	PTZ	yes	-	-	yes	yes
	RTP over HTTP	yes	-	-	yes	yes
WV-ASM200 (v5.10)	MPEG	yes	-	-	yes	yes
	MPEG4	-	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio*8	yes	-	-	yes (ch1)	-
	PTZ	yes	-	-	yes	yes
	RTP over HTTP	yes	-	-	yes	yes
WV-ASM100 (Ver8.00) *5,*14	MPEG	yes	-	-	yes	-
	MPEG4	-	-	-	yes	-
	H.264	yes	-	-	yes	-
	H.265	-	-	-	-	-
	Audio*8	yes	-	-	yes (ch1)	-
	PTZ	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-
WV-ASC970 (Ver19.00)	MPEG	yes	-	-	yes	yes
	MPEG4	-	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio*8	yes	-	-	yes (ch1)	-
	PTZ	yes	-	-	yes	yes
	RTP over HTTP	yes	-	-	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG	yes	-	-	yes	yes
	MPEG4	-	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio*9	yes	-	-	yes (ch1)	-
	PTZ	yes	-	-	-	-
	RTP over HTTP	-	-	-	yes	yes
BB-HNP17 (Ver4.05)	MPEG	yes	yes	yes	yes	yes
	MPEG4	-	yes	yes	yes	-
	H.264	yes	yes	-	yes	yes
	H.265	-	-	-	-	-
	Audio*8	yes	yes	yes	yes (ch1)	-
	PTZ	yes	yes *1	yes *1	yes	yes
	RTP over HTTP	yes	-	-	yes	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-ND200 (Discontinued model)	WJ- HD616/HD716	WJ-HD300 (Discontinued model)
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	-	yes	yes	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	yes	yes	yes	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*10	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	VMD	yes	yes	yes	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	yes	yes	yes	yes	yes	-	-	yes	-	
WV-ASM200 (V5.10)	MJPEG	-	-	-	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	-	yes	yes	yes	-	-
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	yes	yes	yes	-	-	yes	-	
WV-ASM100 (Ver8.00)	MJPEG	-	-	-	-	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	-	yes	yes	yes	-	-
	H.264	-	-	-	-	-	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	yes	yes	yes	yes	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	-	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	-	-	-	-	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	yes	yes	-	-	yes	-	
WV-ASM970 (Ver19.00)	MJPEG	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	Live/Playback (Receive)	-	-	Live/Playback (Receive)	Playback (Receive)	Playback (Receive)	-	Playback (Receive)	Playback (Receive)	-
	PTZ	yes	-	-	yes	yes	yes	-	-	yes	yes
	VMD	yes	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	-	-	yes	yes	yes	-	-	yes	-	
WJ-GXD400 (Ver2.21) *6	MJPEG	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*9	-	-	-	-	-	Playback (Receive)	-	Playback (Receive)	Playback (Receive)	-
	PTZ	-	-	-	-	-	yes	-	-	yes	yes
	VMD	-	-	-	-	-	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	-	-	-	-	-	-	

Discontinued model might have the function which doesn't work.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *8 : Supported only G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *10 : Supported G.726 or AAC.