

Camera/Recorder Compatibility

	Function	WV-X8570N/S8530N	WV-X6531NJ/X6511NJ X6531NS	WV-S6530N	WV-S6131/S6111/S6130	WV-X4171/X4571L/X4571LM	WV-X4170	WV-S4550L/S4550LM	WV-S4150	WV-S1132/S1131	WV-S1550L	WV-S1531LN/S1531LTN S1531LNS	WV-S2131L/ S2131/S2130	WV-S2231
WJ-NX400 (V2.40) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V2.40) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.40) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V2.30) *14	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	no	no	no	no	-	-	-	no	no	no	no	no
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	[SW598]	[SW598]	[SW598]	-	-	-	-	[SPN631]	-	[SPW631]	[SFN631]	[SFW631]
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	[SW598] *21*22	[SW598] *21*22	[SW598] *21*22	-	-	-	-	[SPN631] *22	-	[SPW631] *22	[SFN631] *22	[SFW631] *22
	H.265	-	-	no	no	-	-	-	-	-	-	-	-	-
	Audio *8	-	[SW598]	[SW598]	[SW598]	-	-	-	-	[SPN631]	-	[SPW631]	[SFN631]	[SFW631]
	PTZ	-	[SW598]	[SW598]	[SW598]	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	[SW598]	[SW598]	[SW598]	-	-	-	-	[SPN631]	-	[SPW631]	[SFN631]	[SFW631]	
WJ-ND400K (V6.10) *14	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	no	no	-	-	-	-	no	no	no	no	no
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	[SC385]*2	[SC385]*2	[SC385]*2	-	-	-	-	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	[SC385]	[SC385]	[SC385]	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	[SC385]	[SC385]	[SC385]	-	-	-	-	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	[SC385]*2	[SC385]*2	[SC385]*2	-	-	-	-	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	[SC385]	[SC385]	[SC385]	-	-	-	-	[SP305]	-	[SP305]	[SP305]	[SP305]
	PTZ	-	[SC385]	[SC385]	[SC385]	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:upto 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "image capture mode". For details on "image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Supported G.726/32kbps and AAC-LC/64kbps

Camera/Recorder Compatibility

	Function	WV-S2550L/S2250L	WV-S2531LN/S2531LTN	WV-S1112/S1111	WV-S1511LN	WV-S2111L/S21110	WV-S2311	WV-S2511LN	WV-S3111L	WV-S3111L	WV-S3511L	WV-S3511L	WV-S3511L	WV-S3511L/3511L	WV-SFV781L/SPV781L	
WJ-NX400 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes*19	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes*19	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX200 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes*19	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	H.265	no	no	no	no	no	no	no	no	no	no	no	no	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	-	[SFV631]	[SPN631]	[SPW631]	[SPN631]	[SFV631]	[SPW631]	[SFN130]	[SFN110]	[SFV130]	[SFN130]	[SFV110]	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	[SFV631]*22	[SPN631]*22	[SPW631]*22	[SPN631]*22	[SFV631]*22	[SPW631]*22	[SFN130]*22	[SFN110]*22	[SFV130]*22	[SFN130]*22	[SFV110]*22	-	-	
	H.265	-	no	no	no	no	no	no	no	no	no	no	no	-	-	
	Audio *8	-	[SFV631]	[SPN631]	[SPW631]	[SPN631]	[SFV631]	[SPW631]	[SFN130]	[SFN110]	[SFV130]	[SFN130]	[SFV110]	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes*15,*19	
	H.265	no	no	no	no	no	no	no	no	no	no	no	no	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	-	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality;5-9
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "image capture mode". For details on "image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Supported G.726/32kbps and AAC-LC/64kbps

Camera/Recorder Compatibility

	Function	WV-SUD638	WV-SPN611/SPN631	WV-SPW631LT/SPW631L	WV-SPN611L/SPN631L/SPW611L/SPW631L/SPV631LT	WV-SPW611L/SPW611	WV-SPN531/SPN531A	WV-SPW532L	WV-SPW531AL	WV-SFN531/SFR531/SFV531	WV-SW598/SW598A/SC588/SC588A	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SP509
WJ-NX400 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	yes *8	yes *8
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	yes *8	-	yes *8
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX200 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	yes *8	-	yes *8
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V2.30) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	[SW598]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	[SW598]	yes *12	yes *12	yes *12	yes *12	yes *12	yes *12	yes *12	yes *12	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	[SW598]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	[SW598]	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	[SW598]	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	yes	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SC385]*2	[SP305]*2	[SP305]*2	[SF335]*2	[SP305]	[SP305]*2	[SP305]*2	[SP305]*2	[SF335]*2	[SC385]*2	[SF335]*2	[SP102]*2	[SP305]*2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	[SC385]	-	-	-	-	-	-	-	-	[SC385]	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SC385]*2	[SP305]*2	[SP305]*2	[SF335]*2	[SP305]	[SP305]*2	[SP305]*2	[SP305]*2	[SF335]*2	[SC385]*2	[SF335]*2	[SF335]*2	[SP305]*2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SC385]	[SP305]	[SP305]	[SF335]	[SP305]	[SP305]	[SP305]	[SP305]	[SF335]	[SC385]	[SF335]	-	[SP305]
	PTZ	[SC385]	-	-	-	-	-	-	-	-	[SC385]	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:upto 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "image capture mode". For details on "image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
***23 : Supported G.726/32kbps and AAC-LC/64kbps**

Camera/Recorder Compatibility

	Function	WW-SP508	WW-NW50 2S/NP502	WW-SFV481/SFN480 *7	WW-SW158 /SW458MA/ SF438/SF448E *7	WW-SFV130(M)/ SFV110(M)	WW-SFN130/SFN110	WW-SW158/SF138	WW-SW155/SW155MA/ SW152/SW115	WW-SF135/SF132	WW-SP105/SP102	WW-SW175/SW172/ ST165/ST162	WW-SW174W *3	BB-HCM7 series
WJ-NX400 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	no
	H.264	yes	yes	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes *23	yes *8	yes *23	yes *23	yes *8	-	-	-	yes *8	yes *8	yes *8
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	yes	yes
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NX300 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	no
	H.264	yes	yes	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes *23	yes *8	yes *23	yes *23	yes *8	-	-	-	yes *8	yes *8	yes *8
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	yes	yes
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NX200 (V2.40) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	no
	H.264	yes	yes	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	yes *8	yes *23	yes *8	yes *23	yes *23	yes *8	-	-	-	yes *8	yes *8	yes *8
	PTZ	-	-	yes	yes	-	-	-	-	-	-	-	yes	yes
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NV300 (V2.30) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	no
	H.264	yes	yes	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	-	-	-	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	yes	yes	yes *1
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	yes	yes	no *13	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	yes	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	no *13	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	no *13	yes	yes	yes	yes	-	-	-	yes	yes	yes
	PTZ	-	-	yes	yes	-	-	-	-	-	-	yes	yes	yes *1
Motion detection (VMD)	yes	yes	no *13	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	yes *15	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	yes	-	-	-	-	-	-	-	-	-	-	yes
	H.264	yes	yes	yes *15,*18,*19	yes *18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	yes	yes *15	yes	yes	yes	yes	-	-	-	yes	yes	yes
	PTZ	-	-	yes *15	yes	-	-	-	-	-	-	yes	yes	yes *1
Motion detection (VMD)	yes	yes	yes *15	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SP102] *2	yes *2	-	-	[SF335] *2	[SF335] *2	[SF335] *2	[SF335]	[SP102]	yes	[SC385]	[SC385]	yes
	MPEG4	-	yes	-	-	-	-	-	-	-	-	-	-	yes
	H.264	-	yes	-	-	-	-	-	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	[SC385]	[SC385]	yes *1
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SF305] *2	yes *2	-	-	[SF335] *2	[SF335] *2	[SF335] *2	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes
	MPEG4	-	yes	-	-	-	-	-	-	-	-	-	-	yes
	H.264	-	yes	-	-	-	-	-	[SF335]	[SF335]	yes	[SC385]	[SC385]	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8 *11	-	yes	-	-	[SF335]	[SF335]	[SF335]	-	-	-	[SC385]	[SC385]	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	[SC385]	[SC385]	yes *1
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:upto 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "image capture mode". For details on "image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WW-SFV481/WW-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WW-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Supported G.726/32kbps and AAC-LC/64kbps

Camera/Recorder Compatibility

	Function	BB-HCM5 series	WJ-GX-E500	WJ-GXE100
WJ-NX400 (V2.40) *20	MJPEG	yes	yes	yes
	MPEG4	-	no	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio	-	yes (ch1) *8	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-NX300 (V2.40) *20	MJPEG	yes	yes	yes
	MPEG4	-	no	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio	-	yes (ch1) *8	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-NX200 (V2.40) *20	MJPEG	yes	yes	yes
	MPEG4	-	no	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio	-	yes (ch1) *8	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-NV300 (V2.30) *14	MJPEG	yes	yes	yes
	MPEG4	-	no	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio *8	-	yes (ch1)	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	yes	yes	yes
	MPEG4	-	yes	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio *8	-	yes (ch1)	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	yes
	MPEG4	-	yes	-
	H.264	-	yes	yes
	H.265	-	-	-
	Audio *8	-	yes (ch1)	-
	PTZ	yes *1	yes	yes
	Motion detection (VMD)	-	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	yes	yes	[GXE500 ch1]
	MPEG4	-	yes	-
	H.264	-	yes	[GXE500 ch1]
	H.265	-	-	-
	Audio	-	-	-
	PTZ	yes *1	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	yes	yes	[GXE500 ch1]
	MPEG4	-	yes	-
	H.264	-	yes	[GXE500 ch1]
	H.265	-	-	-
	Audio *8*11	-	yes (ch1)	-
	PTZ	yes *1	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:upto 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "image capture mode". For details on "image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 ips
 *13 : When using WV-SFV481/WV-SFH480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.265 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser
 *23 : Supported G.726/32kbps and AAC-LC/64kbps

	Function	WW-x8570N/S8530N	WW-x6531NJ/x6511NJ/x6531NS	WW-56530N	WW-56131/S6111/S6130	WW-x4171/x4571L/x4571LM	WW-x4170	WW-54550L/S4550LM	WW-54150	WW-S1132/S1131	WW-S1550L	WW-S1531LN/S1531LTN/S1531LNS	WW-S2131L/S2131/S2130	WW-S2231	WW-S2550L/S2250L
WW-ASM300 (V1.60)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes
WW-ASM200 (V5.10)	PTZ	-	yes	yes	yes	-	-	yes	yes	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	yes
WW-ASM100 (Ver8.00) *9, *14	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	PTZ	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	RTP over HTTP	-	yes	-	-	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WW-ASC970 (Ver19.00)	MPEG4	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	H.265	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	Audio*8	-	yes	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
WJ-GXD400 (Ver2.21) *6, *14, *20	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	Unverified	Unverified	-	-	Unverified	Unverified	yes	-	yes	yes	yes	-
	MJPEG	-	yes	yes	yes	-	-	-	-	yes	-	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	-	-	-	-	yes	-	yes	yes	yes	-
BB-HNP17 (Ver4.05)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	yes	yes	yes	-	-	-	-	yes	-	yes	yes	yes	-
	PTZ	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	Unverified	Unverified	Unverified	-	-	-	-	Unverified	-	Unverified	Unverified	Unverified	-
BB-HNP17 (Ver4.05)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	Unverified	Unverified	Unverified	-	-	-	-	Unverified	-	Unverified	Unverified	Unverified	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	Unverified	Unverified	Unverified	-	-	-	-	Unverified	-	Unverified	Unverified	Unverified	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RTP over HTTP	-	Unverified	Unverified	Unverified	-	-	-	-	Unverified	-	Unverified	Unverified	Unverified	-	

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WW-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2092x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WW-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.

	Function	WV-S2531LN/S2531LTN	WV-S3031L/ S3131L	WV-S3031L/ S3031L	WV-S3032LM/ S3032LM	WV-SFV781L/SPV781L	WV-SUD638	WV-SPN611/SPN631	WV-SPW631L/SPW631L	WV-SFN611L/SFN631L/ SFR611L/SFR631L/ SPV611L/SPV631L/ SPV631LT	WV-SPW611L/ SPW611	WV-SPN531	WV-SPN531A	WV-SPW532L	WV-SPW531AL
WV-ASM300 (V1.60)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	-	-	-	yes*18	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM200 (V5.10)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	-	-	-	-	yes	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM100 (Ver8.00) *9, *14	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	yes*21	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	-	-	-	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	Audio*8	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6, *14, *20	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	MJPEG	Unverified	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	Unverified	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	Unverified	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	yes*22	yes	yes	yes	yes	yes	yes	yes	yes	
RTP over HTTP	Unverified	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SFN531/SFR531/ SPV531	WV-SW598/SW598A/ SC588/SC588A	WV-SW559/ SF549/SF539/ SP509	WV-SW558/ SF548/SF538/ SP508	WV-NW502S/NP502	WV-SFV481/SFN480 *7	WV-SW458/SW458MA/ SF438/SF418E *7	WV-S1112/S1111	WV-S1511LN	WV-S2111L/S21110	WV-S2211	WV-S2511LN	WV-SPN310/SPN311/ SPW311LH	WV-SPN310A/SPN311A
WV-ASM300 (V1.60)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes *1, *18	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	-	-
	Audio *23	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM200 (V5.10)	PTZ	-	-	-	-	-	-	yes	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes *1, *18	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM100 (Ver8.00) *9, *14	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	-	-	-	-	-	-	-	yes	yes
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes *1, *7, *19	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	yes	yes	yes	yes	yes	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6, *14, *20	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	Audio *9	yes	yes	yes	-	yes	-	-	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes
	MPEG4	-	-	-	-	yes	-	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	H.264	yes	yes	yes	yes	yes	yes *16	yes	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes
	PTZ	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	yes	yes

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WV-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WV-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.

	Function	WW-SPW312L	WW-SPW311AL	WW-SFN311/SFN310/ SFR311L/SFR310/ SFV311/SFV310	WW-SFN311A/SFN310A SFR311A/SFR310A/ SFV311A/SFV310A	WW-SW397/SW397A/ SW397B/SC387/ SC387A	WW-SW396/SW395/ SC386/SC385/ SC384	WW-SW355/SW352/ SF346/SF342	WW-SF330 series SP300 series	WW-SW316L/SW316	WW-SW314	WW-SFV130(M)/ SFV110(M)	WW-SFN130/SFN110	WW-SW158/SF138	WW-SW155/SW155MA/SW152/ SF135/SF132/ SW115
WW-ASM300 (V1.60)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*23	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WW-ASM200 (V5.10)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	yes	-	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WW-ASM100 (Ver8.00) *9, *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	yes	yes	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WW-ASC90 (Ver19.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-GXD400 (Ver2.21) *6, *14, *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
BB-HNP17 (Ver4.05)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	yes	yes	yes	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
PTZ	-	-	-	-	-	yes	-	-	-	-	-	-	-	-	
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WW-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WW-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WW-SP105/SP102	WW-SW175/SW172/ST165/ST162	WW-SW174W	BB-HCM7 series	BB-HCM5 series	WJ-GXE500	WJ-GXE100
WW-ASM300 (V1.60)	MJPEG	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-
	Audio*23	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	yes	yes	-	-	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	-	-	yes (ch1)	-
WW-ASM200 (V5.10)	PTZ	-	yes	yes	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	-	-	yes	-
	MPEG4	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	-	-	yes	-
	MPEG4	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	-	-	yes	yes
WW-ASC970 (Ver19.00)	H.265	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	yes	yes	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	-	-	yes	-
	MPEG4	-	-	-	-	-	yes	-
WJ-GXD400 (Ver2.21) *6, *14, *20	H.264	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-
	Audio*9	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	yes	yes	-	-	-	-
	RTP over HTTP	-	-	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes
BB-HNP17 (Ver4.05)	MPEG4	-	-	-	yes	yes	yes	-
	H.264	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	yes	yes	yes (ch1)	-
	PTZ	-	yes	yes	yes *1	-	yes *1	yes
	RTP over HTTP	yes	yes	yes	-	-	yes	yes

Discontinued model might have the function which doesn't work.
 *1 : Only for remote PTZ cameras.
 *5 : WW-ASM100 does not support displaying 16:9.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *16 : When displaying H.264 streaming of 2092x2992 resolution, please use a 64 bit OS and 4GB or more memory.
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.
 *21 : WW-ASM200 does not support wiper function.
 *22 : Pan/Tilt button can use only when the capture mode is cropping of H.264 stream. Zoom button cannot use.
 *23 : Supported G.726 or AAC.

	Function	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-ND200 (Discontinued model)	WJ- HD616/HD716	WJ-HD300 (Discontinued model)
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	yes	yes	yes	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*10	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Via Recorder	VMD	yes	yes	yes	yes	yes	yes	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
WV-ASM200 (V5.10)	Audio*8	-	-	-	Live/Playback (Receive)	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	yes	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	-	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	-	yes	yes	yes	yes	yes	-
WV-ASM100 (Ver8.00)	H.265	-	-	-	-	yes	yes	yes	yes	yes	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	-	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
	PTZ	-	-	-	-	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	yes	yes	-	-	yes	-
	(Discontinued model)	MJPEG	-	-	-	-	yes	yes	yes	yes	-
MPEG4		-	-	-	-	yes	yes	yes	yes	-	-
H.264		-	-	-	-	yes	yes	yes	yes	yes	-
H.265		-	-	-	-	-	-	-	-	-	-
Original		-	-	-	-	-	-	-	-	-	yes
Audio*8		-	-	-	-	Live/Playback (Receive)	Live/Playback (Receive)	-	Playback (Receive)	Live/Playback (Receive)	-
PTZ		-	-	-	-	yes	yes	yes	yes	yes	yes
WV-ASM970 (Ver19.00)	VMD	-	-	-	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	yes	yes	-	-	yes	-
	MJPEG	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
	Original	-	-	-	-	-	-	-	-	-	yes
WJ-GXD400 (Ver2.21) *6	Audio*8	Live/Playback (Receive)	-	-	Live/Playback (Receive)	Playback (Receive)	Playback (Receive)	-	Playback (Receive)	Playback (Receive)	-
	PTZ	yes	-	-	yes	yes	yes	-	-	yes	yes
	VMD	yes	-	-	yes	yes	yes	-	-	yes	-
	RTP over HTTP	yes	-	-	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
WJ-GXD400 (Ver2.21) *6	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*9	-	-	-	-	-	Playback (Receive)	-	Playback (Receive)	Playback (Receive)	-
	PTZ	-	-	-	-	-	yes	-	-	yes	yes
	VMD	-	-	-	-	-	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps
 *8 : Supported only G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *10 : Supported G.726 or AAC.