

	Function	WW- X8570N/S8530N	WW- X6533LN/ <b>X6531LN</b> /S65 32LN/ <b>X6531LN</b>	WW- X6531N/X6531NS/ X6511N	WW-SUD638	WW-S6530N	WW- S6131/S6111/S6130	WW- X4171/X4571L/ X4571LM	WW-X4170	WW- S4550L/S4550LM/ S4150	WW-SFV481/SFV480 *7	WW- SW458/SW458MA/ SF438/SF448E *7	WW- X2571LN/X2271L/ X1571LN	WW- X1171L/ <b>X2371L</b> / <b>X1171L</b>	WW- S2570L/S2270L/ S1570L	WW- SFV781L/SFV781L	
WJ-NX400 (V2.30) *20	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes	yes	yes	yes	yes*19	
	H.265	yes	yes	yes	-	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	-	
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23
	PTZ	-	yes	yes	yes	yes	yes	-	-	-	-	yes	yes	-	-	-	-
WJ-NX300 (V2.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes*19	
	H.265	yes	yes	yes	-	yes	yes	yes	yes	yes	-	-	yes	yes	yes	-	
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23
WJ-NV200 (V2.60) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MJPEG	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	yes	yes	yes*19	
	H.265	yes	yes	yes	-	yes	yes	yes	yes	yes	-	-	yes	yes	yes	-	
	Audio	yes (for X8570N) *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	-	yes *23	yes *23	yes *8	yes *23	yes *23	yes *23	yes *23
WJ-NV300 (V2.30) *14  (Discontinued model)	Motion detection (VMD)	yes	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	[SFV781/SPV781]	
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes*17,*18,*19	yes*17,*18	yes	-	[SFV781/SPV781]*22,*24	yes	
	H.265	-	no	no	no	no	no	-	-	-	-	-	-	no	-	-	
	Audio *8	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	[SFV781/SPV781]	yes	
	PTZ	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	-	
WJ-NV200 (V2.60) *14  (Discontinued model)	Motion detection (VMD)	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	[SFV781/SPV781]	
	MJPEG	-	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	[SW598] *21*22	[SW598] *21*22	[SW598]	[SW598] *21*22	[SW598] *21*22	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	-	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	[SW598]	no*13	yes	-	-	-	-	
WJ-ND400K (V6.10) *14  (Discontinued model)	Motion detection (VMD)	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes	yes*15	yes	-	yes	[SFV781/SPV781]	
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	X6531/S6530	yes	yes	yes	yes	yes	yes	yes	yes*15,*18,*19	yes*18	yes	-	[SFV781/SPV781]*15,*19	yes*15,*19	
	H.265	-	no	no	no	no	no	-	-	-	-	-	-	no	-	-	
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*15	yes	-	[SFV781/SPV781]	yes	
WJ-ND300A (V5.20) *4,*14  (Discontinued model)	Motion detection (VMD)	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*15	yes	-	yes	[SFV781/SPV781]	
	MJPEG	-	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4,*14  (Discontinued model)	Motion detection (VMD)	-	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SC385]*2	
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8*11	-	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	[SC385]	

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ camera.  
 \*2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireless connection.  
 \*4 : Displaying 16:9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaage capture mode". For details on "Imaage capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kbps.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 fps  
 \*13 : When using WW-SFV481/WW-SFV480 recording stoo for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFV480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the management software/WW-ASM200, WW-ASC970).  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 camera  
 \*21 : Runoort less than 1780x770 for WW-X6511N  
 \*22 : Transmission format must be switched from H.265(Forward default) to H.264 by connecting from web browser  
 \*23 : Supported G.726 32kbps and AAC-LC 64kbps  
 \*24 : Supported image capture sizes are 4K(UHD(3840x2160)), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WW-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1280x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WW-V1170.

	Function	WV-X1551LN	WV-X1551LN	WV-S1550L	WV-S1531LN/S1531LTN/S1531LNS/S1511LN	WV-U1542L/U1532L	WV-S1132/S1131/S1112/S1111	WV-U1142/U1132/U1130	WV-X2551LN/X2251L	WV-S2550L/S2250L	WV-S2531LN/S2531LTN/S2511LN	WV-U2542L/U2540L/U2532L/U2530L	WV-S2131L/S2131/S2130/S2111L/S2110	WV-S2231L/S2211L	WV-U2142L/U2140L/U2132L/U2130L
WJ-NX400 (V2.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V2.30) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
WJ-NV200 (V2.30) *20	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V2.30) *14 (Discontinued model)	Audio *8	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	H.265	-	-	no	no	-	no	no	-	no	no	no	no	no	no
	Audio *8	-	-	yes	yes	-	yes	yes	-	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	-	-	yes	yes	-	yes	yes	-	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	-	-	[SPW631]	-	[SPW631]	-	-	[SPW631]	-	[SPW631]	[SPW631]	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14 (Discontinued model)	H.264	-	-	-	-	[SPW631]*22	-	[SPW631]*22	-	-	[SPW631]*22	-	[SPW631]*22	[SPW631]*22	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	-	-	-	-	[SPW631]	-	[SPW631]	-	-	[SPW631]	-	[SPW631]	[SPW631]	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	-	-	yes	yes	[SPW631]	-	[SPW631]	-	-	[SPW631]	-	[SPW631]	[SPW631]	-
	MJPEG	-	-	yes	yes	-	-	-	-	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	yes	-	yes	yes	-	yes	yes	yes	yes	yes	yes
	H.265	-	-	no	no	-	no	no	-	no	no	no	no	no	no
	Audio *8	-	-	yes	yes	-	yes	yes	-	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	-	-	yes	yes	-	yes	yes	-	yes	yes	yes	yes	yes	yes
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	-	-	[SP305] *2	-	[SP305] *2	-	-	[SP305] *2	-	[SP305] *2	[SP305] *2	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	-	-	[SP305] *2	-	[SP305] *2	-	-	[SP305] *2	-	[SP305] *2	[SP305] *2	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	-	-	-	[SP305]	-	[SP305]	-	-	[SP305]	-	[SP305]	[SP305]	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ camera.  
 \*2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireless connection.  
 \*4 : Displaying 16:9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaage capture mode". For details on "Imaage capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kbps.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 ips  
 \*13 : When using WV-SFN481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SPV781L, SPV781L, SPV481, SPV480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).  
 \*19 : Supported maximum bitrate is 1.4Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras  
 \*21 : Support less than 1280x720 for WV-X6511N  
 \*22 : Transmission format must be switched from H.265(Factov default) to H.264 by connecting from web browser  
 \*23 : Supported G.726/20kbps and AAC-LC/64kbps  
 \*24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.

# Camera/Recorder Compatibility

	Function	WV-S3531L	WV-S3511L	WV-S3521L/S3512LM	WV-S3131L	WV-S3111L	WV-V1200L	WV-V2000L	WV-V1170	WV-V1200L/V2000L	WV-V1000L	WV-SB131M/SB111M	WV-SW598/SW598A/SC387/SC387A	WV-SW397/SW397A/SC387/SC387A	WV-SW396A/SW395A	WV-SW396/SW395/SC386/SC384	WV-SC385
WJ-NX400 (V2.30) *20	MJPEG	yes	yes	-	yes	yes	yes *25	yes *25	yes *25	yes *25	yes *25	-	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	yes	yes	yes *26	yes *26	yes *26*27	yes *26	yes *26	-	yes	yes	yes	yes	yes
	H.265	yes	yes	-	yes	yes	yes *26	yes *26	yes *26*27	yes *26	yes *26	-	-	-	-	-	-
	Audio	yes *23	yes *23	-	yes *23	yes *23	yes *26	yes *28	yes *26*27	yes *26	yes *26	-	yes *8	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Motion detection (VMD)	yes	yes	-	yes	yes	-	-	-	-	-	-	-	yes	yes	yes	yes
WJ-NX300 (V2.30) *20	MJPEG	yes	yes	-	yes	yes	yes *25	yes *25	yes *25	yes *25	yes *25	-	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	yes	yes	yes *26	yes *26	yes *26*27	yes *26	yes *26	-	yes	yes	yes	yes	yes
	H.265	yes	yes	-	yes	yes	yes *26	yes *26	yes *26*27	yes *26	yes *26	-	-	-	-	-	-
	Audio	yes *23	yes *23	-	yes *23	yes *23	yes *26	yes *28	yes *26*27	yes *26	yes *26	-	yes *8	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Motion detection (VMD)	yes	yes	-	yes	yes	-	-	-	-	-	-	-	yes	yes	yes	yes
WJ-NV200 (V2.30) *14	MJPEG	yes	yes	-	yes	yes	yes *29	yes *29	yes *29	yes *29	yes *29	-	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	yes	yes	yes *26	yes *26	yes *26*30	yes *26	yes *26	-	yes	yes	yes	yes	yes
	H.265	no	no	-	no	no	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	yes	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	yes	yes	yes	yes
	Motion detection (VMD)	yes	yes	-	yes	yes	-	-	-	-	-	-	-	yes	yes	yes	yes
WJ-NV200 (V2.60) *14	MJPEG	[SFV130]	[SFV110]	-	[SFN130]	[SFN110]	[SW5581*29]	[SW5591*29]	[SPV781L]*29	[SW5581*29]	[SW5981*29]	-	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	[SPV130]*22	[SPV110]*22	-	[SFN130]*22	[SFN110]*22	[SW5581*26]	[SW5591*26]	[SPV781L]*26	[SW5581*26]	[SW5981*26]	-	yes	yes	yes	yes	yes
	H.265	no	no	-	no	no	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	[SFV130]	[SFV110]	-	[SFN130]	[SFN110]	-	[SW5591]	[SPV781L]	-	[SW5981]	-	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	[SW5981]	-	yes	yes	yes	yes	yes
	Motion detection (VMD)	[SFV130]	[SFV110]	-	[SFN130]	[SFN110]	-	-	-	-	[SW5981]	-	yes	yes	yes	yes	yes
WJ-ND400K (V6.10) *14	MJPEG	yes	yes	-	yes	yes	[SW5581*25]	[SW5591*25]	[SPV781L]*25	[SW5581*25]	[SW5981*25]	-	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	-	yes	yes	[SW5581*26]	[SW5591*26]	[SPV781L]*26*30	[SW5581*26]	[SW5981*26]	-	yes	yes	yes	yes	yes
	H.265	no	no	-	no	no	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	yes	yes	-	yes	yes	-	[SW5591*28]	[SPV781L]*28	-	[SW5981*28]	-	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	[SW5981]	-	yes	yes	yes	yes	yes
	Motion detection (VMD)	yes	yes	-	yes	yes	-	-	-	-	-	-	-	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14	MJPEG	[SF335]*2	[SF335]*2	-	[SF335]*2	[SF335]*2	-	-	-	-	-	-	[SC385]*2	[SC385]	[SC385]	[SC385]	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	[SF335]*2	[SF335]*2	-	[SF335]*2	[SF335]*2	-	-	-	-	-	-	[SC385]	[SC385]	[SC385]	[SC385]	yes
WJ-ND200 (V3.35) *4, *14	MJPEG	[SF335]*2	[SF335]*2	-	[SF335]*2	[SF335]*2	-	-	-	-	-	-	[SC385]*2	[SC385]	[SC385]	[SC385]	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SF335]	[SF335]	-	[SF335]	[SF335]	-	-	-	-	-	-	[SC385]	[SC385]	[SC385]	[SC385]	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	[SC385]	[SC385]	[SC385]	[SC385]	yes
	Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ cameras.  
 \*2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireless connection.  
 \*4 : Displaying 16:9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaage capture mode". For details on "Imaage capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kbps.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 fps  
 \*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stoes for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SPV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the managaement software/WV-ASM200, WV-ASC970).  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras  
 \*21 : Support less than 1280x720 for WV-X6511N  
 \*22 : Transmission format must be switched from H.265(Factovr default) to H.264 by connecting from web browser  
 \*23 : Supported G.726/20kbps and AAC-LC/64kbps  
 \*24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.

	Function	WV-SPW631L/SPW631L	WV-SPW611L/SPW611	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WV-SW316L/SW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311/SPN310A/SPN311A	WV-SP509	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SFN611L/SFN631L/SFN611/SFN631L/SFN631LT	WV-SFN331/SFR531/SFV531
WJ-NX400 (V2.60) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	-	yes	yes *8	yes *23	yes *23
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NX300 (V2.60) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *23	yes *8	-	yes	yes *8	yes *23	yes *23
WJ-NV200 (V2.60) *20	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14  (Discontinued model)	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14  (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-ND400K (V6.10) *14  (Discontinued model)	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14  (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND200 (V3.35) *4, *14  (Discontinued model)	MJPEG	[SP305] *2	[SP305]	[SP305] *2	[SP305] *2	[SP305]	[SP305]	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ cameras.  
 \*2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireless connection.  
 \*4 : Displaying 16-9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaoc capture mode". For details on "Imaoc capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kbps.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 fps  
 \*13 : When using WV-SFN481/WV-SFN480 recording stoo for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SPV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).  
 \*19 : Supported maximum bitrate is 1.4Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras  
 \*21 : Support less than 1280x720 for WV-X6511N  
 \*22 : Transmission format must be switched from H.265(Factov default) to H.264 by connecting from web browser  
 \*23 : Supported G.726/20kbps and AAC-LC/64kbps  
 \*24 : Supported image capture sizes are 4KUHDI(3840x2160), WOHDI(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WV-V170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.

	Function	WV-SFN31A/SFN310A/SFR311A/SFR310/SFV311A/SFV310A	WV-SFN311/SFN310/SFN311L/SFR311/SFR310/SFV311/SFV310	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series	WV-NW502S	WV-SFV130(M)/SFV110(M)	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SW115	WV-SF135/SF132	WV-SW175/SW172/ST165/ST162	WV-SW174W*3
WJ-NX400 (V2.30) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	no	no	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes	yes	yes *8	-	-	-	yes *8	yes *23	yes *23	yes *8	-	-	yes *8	yes *8
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
WJ-NX300 (V2.60) *20	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	no	no	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	yes	yes	yes *8	-	yes	yes	yes *8	yes *23	yes *23	yes *8	-	-	yes *8	yes *8
WJ-NV200 (V2.30) *20	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	no	no	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-NV300 (V2.30) *14 (Discontinued model)	Audio	yes	yes	yes *8	-	yes	yes	yes *8	yes *23	yes *23	yes *8	-	-	yes *8	yes *8
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	no	no	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND400K (V6.10) *14 (Discontinued model)	H.264	yes*12	yes*12	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MPEG4	-	-	-	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes	yes	yes	yes	yes	yes	-	-	yes	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	yes
	Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SF335]*2	[SF335]*2	[SF335]*2	[SP102]*2	[SF335]	yes	yes *2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	[SF335]	[SP102]	[SC385]
	MPEG4	-	-	-	-	[SF335]	yes	yes	-	-	-	-	-	-	-
	H.264	-	-	-	-	[SF335]	yes	yes	-	-	-	[SF335]	[SF335]	[SC385]	[SC385]
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	[SC385]
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	Motion detection (VMD)	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	yes	yes *2	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	[SF335]	[SC385]	[SC385]
	MJPEG	-	-	-	-	[SF335]	yes	yes	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	[SF335]	yes	yes	-	-	-	-	-	-	-
	H.264	-	-	-	-	[SF335]	yes	yes	-	-	-	[SF335]	[SF335]	[SC385]	[SC385]
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SF335]	[SF335]	[SF335]	-	[SF335]	yes	yes	[SF335]	[SF335]	[SF335]	-	-	-	[SC385]
PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	[SC385]	
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ cameras.  
 \*2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireline connection.  
 \*4 : Displaying 16-9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaoc capture mode". For details on "Imaoc capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kbps.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 fps  
 \*13 : When using WV-SFN481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the management software/WV-ASM200, WV-ASC970).  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras  
 \*21 : Support less than 1280x720 for WV-X6511N  
 \*22 : Transmission format must be switched from H.265(Factov default) to H.264 by connecting from web browser  
 \*23 : Supported G.726/20kbps and AAC-LC/64kbps  
 \*24 : Supported image capture sizes are 4KUHd(3840x2160), WOHd(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WV-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WV-V1170.

	Function	BB-HCM7 series	BB-HCM5 series	WW-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100
WJ-NX400 (V2.30) *20	MJPEG	yes	yes	-	yes	yes
	MPEG4	no	-	-	no	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-NX300 (V2.30) *20	MJPEG	yes	yes	-	yes	yes
	MPEG4	no	-	-	no	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-NX200 (V2.30) *20	MJPEG	yes	yes	-	yes	yes
	MPEG4	no	-	-	no	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio	yes *8	-	yes	yes (ch1) *8	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-NV300 (V2.30) *14 (Discontinued model)	MJPEG	yes	yes	-	yes	yes
	MPEG4	no	-	-	no	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio *8	yes	-	yes	yes (ch1)	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-NV200 (V2.60) *14 (Discontinued model)	MJPEG	yes	yes	-	yes	yes
	MPEG4	yes	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio *8	yes	-	-	yes (ch1)	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-ND400K (V6.10) *14 (Discontinued model)	MJPEG	yes	yes	-	yes	yes
	MPEG4	yes	-	-	yes	-
	H.264	yes	-	-	yes	yes
	H.265	-	-	-	-	-
	Audio *8	yes	-	yes	yes (ch1)	-
	PTZ	yes *1	yes *1	-	yes	yes
	Motion detection (VMD)	-	-	-	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	yes	yes	-	yes	[GXE500 ch1]
	MPEG4	yes	-	-	yes	-
	H.264	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-
	Audio	-	-	-	-	-
	PTZ	yes *1	yes *1	-	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-	-	-
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	yes	yes	-	yes	[GXE500 ch1]
	MPEG4	yes	-	-	yes	-
	H.264	yes	-	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-
	Audio *8*11	yes	-	-	yes (ch1)	-
	PTZ	yes *1	yes *1	-	yes	[GXE500 ch1]
	Motion detection (VMD)	-	-	-	-	-

[substitute model] : Register as a substitute model.  
 \*1 : Only for remote PTZ cameras.  
 \*2 : Support less than 1920x1080 ,including 1600x1200. 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.  
 \*3 : Each recorder supports only wireless connection.  
 \*4 : Displaying 16:9 is not supported on a NDR browser.  
 \*7 : Support functions are different dependo on the "Imaae capture mode". For details on "Imaae capture mode", please refer to the operatino instructions.  
 \*8 : Supported G.726 and 32kops.  
 \*11 : This function is supported only when playing back.  
 \*12 : Supported up to 30 ips  
 \*13 : When using WW-SFN481/WW-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported  
 \*15 : When using over 6Mbps for bitrate, please use the "4k resolution" mode. SPV781L, SPV781L, SPV481, SPV480 support will be only 1-8ch.  
 \*17 : The fish-eye dewarp function on the main monitor is supported.  
 \*18 : The fish-eye dewarp function is supported by using the manaoement software/WW-ASM200, WW-ASC970).  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras  
 \*21 : Support less than 1280x720 for WW-X6511N  
 \*22 : Transmission format must be switched from H.265(Factov default) to H.264 by connecing from web browser  
 \*23 : Supported G.726/20kops and AAC-LC/64kops.  
 \*24 : Supported image capture sizes are 4KUHD(3840x2160), WQHD(2560x1440), FHD(1920x1080) and HD(1280x720).  
 \*25 : Support 640x480  
 \*26 : Support 1920x1080,1280x720 and 1280x960. Supported up to 30 fps  
 \*27 : WW-V1170 additionally supports 3840x2160, 2048x1536, 2560x1920, 4000x3000(15fps).  
 \*28 : Supported G.726  
 \*29 : Support 640x480 and 320x240.  
 \*30 : Support 3840x2160, 1920x1080, 1280x720, 2560x1920, 2048x1536 and 1280x960 for WW-V1170.

	Functon	WV- X8570N/S8530N	WV- X6533LN/ <del>X6533LN</del> /S65 32LN/ <del>S6533LN</del>	WV- X6531N/X6531NS/ X6511N	WV-SUD638	WV-S6530N	WV- S6131/S6111/S6130	WV- X4171/X4571L/ X4571LM	WV-X4170	WV- S4550L/S4550LM/ S4150	WV- SFV481/SFV480 *7	WV- SW458/SW458MA/ SF438/SF448E *7	WV- X2571LN/X2271L	WV-X1571LN	WV- <del>S2272L/S2272L / S1572L</del>
WV-ASM300 (V4.0.1)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes*17,*18	yes	yes	yes	yes
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	yes	yes	yes	-	-	Unverified	yes*17,*18	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-
Direct connection to camera (Discontinued model)	PTZ	-	-	yes	yes	yes	yes	-	-	Unverified	yes	yes	-	-	-
	RTP over HTTP	-	-	yes	yes	yes	yes	-	-	Unverified	yes	-	-	-	-
	MJPEG	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	yes	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	yes*21	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes*17,*19	yes	-	-	-
Direct connection to camera (Discontinued model)	H.265	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes	yes	-	-	-
	Audio*8	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes	yes	-	-	-
	PTZ	-	-	yes	yes	-	-	-	-	Unverified	yes	yes	-	-	-
	RTP over HTTP	-	-	yes	yes	Unverified	Unverified	-	-	Unverified	yes	-	-	-	-
	MJPEG	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WV-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	-	yes	yes	yes	yes	-	-	-	-	-	-	-	-
	PTZ	-	-	yes	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88-HN17 (Ver4.05)	MPEG4	-	-	-	-	-	-	-	-	-	yes	yes	-	-	-
	H.264*25	-	-	-	yes	-	-	-	-	-	yes*16	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	-	-	yes	-	-	-	-	-	yes	yes	-	-	-
	PTZ	-	-	-	yes	-	-	-	-	-	yes	yes	-	-	-
	RTP over HTTP	-	-	-	yes	-	-	-	-	-	yes	yes	-	-	-

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WV-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and OVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-V2530L/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WV-S2570L/S2270L/S1570L	WV-SF781L/SPV781L	WV-X1551LN	WV-S1507L	WV-S1550L	WV-S1531LN/S1531LTN/S1531LNS	WV-S1511LN	WV-U1542L	WV-U1532L	WV-S1132/S1131	WV-S1112/S1111	WV-U1142	WV-U1132/U1130	WV-X2551LN/X2251L
WV-ASM300 (V4.0L1)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes*18	yes	yes	yes	yes	yes	-	-	yes	yes	-	-	yes
	H.265	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	-	-	yes
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes*18	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
Direct connection to camera (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MJPEG	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MJPEG	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	yes*19	-	-	-	yes	yes	-	-	yes	yes	-	-	-
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	Audio*8	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MJPEG	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WJ-GXD400 (Ver2.21) *6,*14,*20 (Discontinued model)	H.264	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*9	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
	MJPEG	-	yes	-	-	-	yes	yes	-	-	yes	yes	-	-	-
88-HNP17 (Ver4.05) (Discontinued model)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264*25	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio*8	-	yes	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	yes*22	-	-	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	-	yes	-	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and OVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-V2530L/KV1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WV-S2511L/S2120L	WV-S2550L/S2520L	WV-S2531LN/S2531LTN	WV-S2511LN	WV-U2542L/U2540L	WV-U2532L/U2530L	WV-S2131L/S2131/S2130/S2231L	WV-S2111L/S21110/S2211L	WV-U2142L/U2140L	WV-U2132L/U2130L	WV-S3531L/S3511L	WV-S3532LM/S3512LM	WV-S3131L/S3111L	V series	
WV-ASM300 (V4.0L1)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes #26	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	yes	yes	yes	yes	-	-	yes	yes	-	-	yes	yes	yes	yes	
	H.265	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes #27
	Audio*23	yes	yes	yes	yes	-	-	yes	yes	-	-	-	yes	yes	yes	yes #28
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	yes #1*29
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MJPEG	-	-	yes	yes	-	-	yes	yes	-	-	yes	yes	-	yes #26	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*8	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	yes #28	
(Discontinued model)	PTZ	-	-	-	-	-	-	yes	yes	-	-	-	-	-	yes #1*29	
	RTP over HTTP	-	yes	-	yes	-	-	yes	yes	-	-	-	-	-	-	
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WV-ASM100 (Ver8.00) *5,*14,*24	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	-	
WV-ASC970 (Ver19.00)	H.265	-	-	-	-	-	-	yes	yes	-	-	-	-	-	-	
	Audio*8	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	yes	yes	-	-	yes	yes	-	-	-	-	-	-	
	MJPEG	-	-	yes	yes	-	-	yes	yes	-	-	yes	yes	yes	-	
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	-	-	yes	yes	-	-	yes	yes	-	-	yes	yes	yes	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*9	-	-	yes	yes	-	-	yes	yes	-	-	yes	yes	yes	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MJPEG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
88-HNP17 (Ver4.05)	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.264*25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest to Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-U2530L/K/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WV-SBV131M/SBV111M	WV-SW598/SW598A/SC588/SC588A	WV-SW397/SW397A/SC387/SC387A	WV-SW396/SW395/SC386/SC385/SC384	WV-SPW631LT/SPW631L/SPW611L/SPW611	WV-SPW531AL/SPW311AL	WV-SPW532L/SPW312L	WV-SPW311LH	WV-SPW631L/SPW316	WV-SW314	WV-SPN611/SPN631	WV-SPN531/SPN531A	WV-SPN310/SPN311/SPN310A/SPN311A	WV-SP509	
WV-ASM300 (V4.0A)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-	
	H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*23	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes	
	PTZ	-	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
Direct connection to camera	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM200 (V5.10) *24	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-
		H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
PTZ		-	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM100 (Ver8.00) *5,*14,*24	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-
		H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
PTZ		-	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASC970 (Ver19.00)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-
		H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
PTZ		-	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-
		H.264	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*9	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	BB-HNP17 (Ver4.06)	MJPEG	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	-	-	yes	-	-	-	-	yes	yes	-	-	-	-
		H.264*25	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
PTZ		-	yes	yes	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest o Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and QVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-V2530L/V1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WV-SP508	WV-SP300 series	WV-SP105/SP102	WV-NP502	WV-SFN611L/SFN631L/SFR611L/SFR631L/SFV611L/SFV631L/SFV631LT	WV-SFN531/SFR531/SFV531	WV-SFN311/SFN310/SFN311L/SFR310/SFV310	WV-SFN311A/SFN310A/SFR311A/SFR310A/SFV311A/SFV310A	WV-SW559/SF549/SF539	WV-SW558/SF548/SF538	WV-SW355/SW352/SF346/SF342	WV-SF330 series	WV-NW502S	WV-SFV130(M)/SFV110(M)	
WV-ASM300 (V4.0A)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio*23	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM200 (V5.10) *24	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM100 (Ver.0.0) *5,*14,*24	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASC970 (Ver19.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	WJ-GXD400 (Ver.2.21) *6,*14,*20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*9	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	BB-HNP17 (Ver4.06)	MJPEG	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		MPEG4	-	yes	-	yes	-	-	-	-	-	-	-	yes	yes	-
		H.264*25	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
		H.265	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Audio*8	-	yes	-	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes
PTZ		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and OVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-V2530L/KV1170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WV-SFN130/SFN110	WV-SW158/SF138	WV-SW155/SW155MA/SW152/SF135/SF132/SW115	WV-SW175/SW172/ST165/ST162	WV-SW174W	BB-HCM7 series	BB-HCM5 series	WV-SMR10/SMR10N3	WJ-GXE500	WJ-GXE100
WV-ASM300 (V4.0.1)	MJPEG	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	-	yes	yes	-	-	yes	yes (ch1)	-
	PTZ	-	-	-	yes	yes	-	-	-	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	-	yes	yes	-	-	yes	yes (ch1)	-
Direct connection to camera (Discontinued model)	PTZ	-	-	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	-	-	-	yes	-
	MPEG4	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	-	-	-	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	yes	yes	-	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	-	-	-	yes	yes
WV-ASC970 (Ver19.00)	H.265	-	-	-	-	-	-	-	-	yes	yes
	Audio*8	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	yes	yes	-	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	yes	-	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	yes	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	-	yes	yes	-	-	-	yes (ch1)	-
	PTZ	-	-	-	yes	yes	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-
	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes
BB-HNP17 (Ver4.05)	MJPEG	-	-	-	-	-	yes	yes	-	yes	yes
	MPEG4	-	-	-	-	-	yes	yes	-	yes	-
	H.264*25	yes	yes	yes	yes	yes	-	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	-	yes	yes	yes	yes	-	yes (ch1)	-
	PTZ	-	-	-	yes	yes	yes *1	yes *1	-	yes	yes
(Discontinued model)	RTP over HTTP	yes	yes	yes	yes	yes	-	-	-	yes	yes

Discontinued model might have the function which doesn't work.  
 \*1 : Only for remote PTZ cameras.  
 \*5 : WV-ASM100 does not support displaying 16:9.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.  
 \*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.  
 \*8 : Supported G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*14 : Streams of H.264(3) and H.264(4) are not supported.  
 \*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.  
 \*19 : Supported maximum bitrate is 14Mbps.  
 \*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.  
 \*21 : WV-ASM200 does not support wiper function.  
 \*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.  
 \*23 : Supported G.726 or AAC.  
 \*24 : Please connect to the camera from the PC browser and change the authentication method from Digest or Digest or Basic.  
 \*25 : Video display may take some time depending on the frame rate used. Also, depending on the camera model, video may be delayed.  
 \*26 : Support "VGA/640x360 and OVGA. Auto is not supported. Supported from 1ips to 30ips for Refresh interval(JPEG). Less than 1ips cannot be selected.  
 \*27 : Restrictions is still under study. Will be updated.  
 \*28 : Support G.726 for WV-V2530L/K/V170/V6430L. "Audio output" is not supported. Only "Mic input" can be used.  
 \*29 : Support WV-CU950/CU980

	Function	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-ND200 (Discontinued model)	WJ- HD616/HD716	WJ-HD300 (Discontinued model)	
WV-ASM300 (V2.30)  Via Recorder	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	-	-	
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-	
	H.265	yes	yes	yes	-	-	-	-	-	-	-	
	Original	-	-	-	-	-	-	-	-	-	yes	
	Audio*10	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	VMD	yes	yes	yes	yes	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	-	-	yes	-	
WV-ASM200 (V5.10)  Via Recorder (Discontinued model)	MJPEG	-	-	-	-	yes	yes	yes	yes	yes	-	
	MPEG4	-	-	-	-	yes	yes	yes	yes	yes	-	
	H.264	-	-	-	-	yes	yes	yes	yes	yes	-	
	H.265	-	-	-	-	-	-	-	-	-	-	
	Original	-	-	-	-	-	-	-	-	-	yes	
	Audio*8	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	yes	yes	yes	-	-	yes	-	
WV-ASM100 (Ver8.00)  Via Recorder (Discontinued model)	MJPEG	-	-	-	-	yes	yes	yes	yes	yes	-	
	MPEG4	-	-	-	-	yes	yes	yes	yes	yes	-	
	H.264	-	-	-	-	yes	yes	yes	yes	yes	-	
	H.265	-	-	-	-	-	-	-	-	-	-	
	Original	-	-	-	-	-	-	-	-	-	yes	
	Audio*8	-	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	-	-	-	-	yes	yes	yes	-	-	yes	-	
WV-ASM970 (Ver19.00)  Via Recorder (Discontinued model)	MJPEG	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-	
	MPEG4	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	-	-	
	H.264	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	yes	-	
	H.265	-	-	-	-	-	-	-	-	-	-	
	Original	-	-	-	-	-	-	-	-	-	yes	
	Audio*8	Live/Playback(Receive)	-	-	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-
	PTZ	yes	-	-	-	yes	yes	yes	-	-	yes	yes
	VMD	yes	-	-	-	yes	yes	yes	-	-	yes	-
RTP over HTTP	yes	-	-	-	yes	yes	yes	-	-	yes	-	
WJ-GXD400 (Ver2.21) *6  Via Recorder (Discontinued model)	MJPEG	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-	
	MPEG4	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-	
	H.264	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	yes	-	
	H.265	-	-	-	-	-	-	-	-	-	-	
	Original	-	-	-	-	-	-	-	-	-	yes	
	Audio*9	-	-	-	-	-	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-	
	PTZ	-	-	-	-	-	yes	-	-	yes	yes	
	VMD	-	-	-	-	-	yes	-	-	yes	-	
RTP over HTTP	-	-	-	-	-	-	-	-	-	-		

Discontinued model might have the function which doesn't work.  
 \*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and OVGA. Supported maximum bitrate is 8Mbps.  
 \*8 : Supported only G.726.  
 \*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.  
 \*10 : Supported G.726 or AAC.