

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2130934-1  
**Report Reference** E140407-20191211  
**Date** 9-Jul-2021

**Issued to:** PANASONIC CORPORATION, PANASONIC CORPORATION OF NORTH AMERICA  
Product Safety & Compliance Dept  
Two Riverfront Plaza  
9th Fl Newark, NJ  
United States 07102-5490

**This is to certify that representative samples of** NWGQ - Information Technology Equipment Including Electrical Business Equipment  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 60950-1, 2nd Ed., Issue Date: 2007-03-27, Revision Date: 2019-05-09

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

*B. Mahlen*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2130934-1  
**Report Reference** E140407-20191211  
**Date** 9-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
WV-U2132Lwxyz, w: "G" or Blank (Dome Color), x: "N" or Blank (Clear Sight Coating), y: "A", "B" or Blank (Combination of Software and Sensor), z: "-B" or Blank (Body Color)	Network Camera
WV-U2142Lwxyz, w: "G" or Blank (Dome Color), x: "N" or Blank (Clear Sight Coating), y: "A", "B" or Blank (Combination of Software and Sensor), z: "-B" or Blank (Body Color)	Network Camera



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2125787-1  
**Report Reference** E140407-20191211  
**Date** 9-Jul-2021

**Issued to:** PANASONIC CORPORATION, PANASONIC CORPORATION OF NORTH AMERICA  
Product Safety & Compliance Dept  
Two Riverfront Plaza  
9th Fl Newark, NJ  
United States 07102-5490

**This is to certify that  
representative samples of**

NWQG7 - Information Technology Equipment Including  
Electrical Business Equipment Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** CSA C22.2 No. 60950-1 - 2nd Ed. - Issue Date: 2007-03-27  
- Revision Date: 2014-10-01

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2125787-1  
**Report Reference** E140407-20191211  
**Date** 9-Jul-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
WV-U2132Lwxyz, w: "G" or Blank (Dome Color), x: "N" or Blank (Clear Sight Coating), y: "A", "B" or Blank (Combination of Software and Sensor), z: "-B" or Blank (Body Color)	Network Camera
WV-U2142Lwxyz, w: "G" or Blank (Dome Color), x: "N" or Blank (Clear Sight Coating), y: "A", "B" or Blank (Combination of Software and Sensor), z: "-B" or Blank (Body Color)	Network Camera



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



## UL TEST REPORT AND PROCEDURE

<b>Standard:</b>	UL 60950-1, 2nd Edition, 2019-05-09 (Information Technology Equipment - Safety - Part 1: General Requirements) CAN/CSA C22.2 No. 60950-1-07, 2nd Edition, 2014-10 (Information Technology Equipment - Safety - Part 1: General Requirements)
<b>Certification Type:</b>	Listing
<b>CCN:</b>	NWQQ, NWGQ7 (Information Technology Equipment Including Electrical Business Equipment)
<b>Complementary CCN:</b>	N/A
<b>Product:</b>	Network Camera
<b>Model:</b>	WV-U2132Lwxyz, WV-U2142Lwxyz "wxyz" is suffix stands for followings not effect on safety. w: "G" or Blank (Dome Color) x: "N" or Blank (Clear Sight Coating) y: "A", "B" or Blank (Combination of Software and Sensor) z: "-B" or Blank (Body Color)
<b>Rating:</b>	WV-U2132Lwxyz: 48Vdc, 120mA (PoE) (Class 2) WV-U2142Lwxyz: 48Vdc, 135mA (PoE) (Class 0)
<b>Applicant Name and Address:</b>	PANASONIC CORPORATION OF NORTH AMERICA PRODUCT SAFETY & COMPLIANCE DEPT TWO RIVERFRONT PLAZA 9TH FL NEWARK NJ 07102-5490 UNITED STATES

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of UL LLC ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Issue Date: 2019-12-11

Page 2 of 8

Report Reference #

E140407-A445-UL

Revision Date: 2021-07-06

Prepared By: Yusuke Enokimura / Project  
Handler

Reviewed By: Hidehisa Matsuda / Reviewer

### Supporting Documentation

The following documents located at the beginning of this Procedure supplement the requirements of this Test Report:

A. Authorization - The Authorization page may include additional Factory Identification Code markings.

B. Generic Inspection Instructions -

- i. Part AC details important information which may be applicable to products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of this Test Report.
- ii. Part AE details any requirements which may be applicable to all products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of each Test Report.
- iii. Part AF details the requirements for the UL Certification Mark which is not controlled by the technical standard used to investigate these products. Products are permitted to bear only the Certification Mark(s) corresponding to the countries for which it is certified, as indicated in each Test Report.

### Product Description

The Network Cameras are supplied from Power over Ethernet (PoE standard IEEE 802.3af or PoE+ standard IEEE 802.3at).

The product is intended for indoor use and has not been evaluated for use in burglary and theft applications.

### Model Differences

WV-U2142Lwxyz is basic model in this report.

WV-U2132Lwxyz is similar to WV-U2142Lwxyz except for model number and resolution.

"wxyz" is suffix stands for followings not effect on safety.

w: "G" or Blank (Dome Color)

x: "N" or Blank (Clear Sight Coating)

y: "A", "B" or Blank (Combination of Software and Sensor)

z: "-B" or Blank (Body Color)

### Test Item Particulars

Mass of equipment (kg)	331g (Models WV-U2132Lwxyz, WV-U2142Lwxyz)
Equipment mobility	stationary
Connection to the mains	not directly connected to the mains
Operating condition	continuous
Access location	operator accessible
Over voltage category (OVC)	N/A
Mains supply tolerance (%) or absolute mains supply values	No direct connection
Tested for IT power systems	No
IT testing, phase-phase voltage (V)	N/A
Class of equipment	Class III (supplied by SELV)
Considered current rating of protective device as part of the building installation (A)	N/A
Pollution degree (PD)	PD 2

IP protection class	IP X0								
Altitude of operation (m)	Up to 2000								
Altitude of test laboratory (m)	Approx. 10 to 20								
<b>Technical Considerations</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> The product was submitted and evaluated for use at the maximum ambient temperature (Tma) permitted by the manufacturer's specification of : 50°C</li> <li><input type="checkbox"/> The following are available from the Applicant upon request : Installation (Safety) Instructions / Manual</li> <li><input type="checkbox"/> LEDs provided in the product are considered low power devices : Yes</li> </ul>									
<b>Additional Information</b> <p>PoE circuit was evaluated as SELV circuit, because this product is connected only to PoE networks without routing to the outside plant and suitable instruction is provided in the user manual. See sub-clause 1.7.2 for details.</p> <p>The LED emission from Model WV-U2132Lwxyz and WV-U2142Lwxyz were determined to be Risk Group Exempt per IEC 62471.</p>									
<b>Additional Standards</b> <p>The product fulfills the requirements of: N/A</p>									
<b>Markings and Instructions</b> <table border="1"> <thead> <tr> <th>Clause Title</th> <th>Marking or Instruction Details</th> </tr> </thead> <tbody> <tr> <td>Power rating - Ratings</td> <td>Ratings (voltage, frequency/dc, current)</td> </tr> <tr> <td>Power rating - Company identification</td> <td>Listee's or Recognized companys name, Trade Name, Trademark or File Number</td> </tr> <tr> <td>Power rating - Model</td> <td>Model Number</td> </tr> </tbody> </table>		Clause Title	Marking or Instruction Details	Power rating - Ratings	Ratings (voltage, frequency/dc, current)	Power rating - Company identification	Listee's or Recognized companys name, Trade Name, Trademark or File Number	Power rating - Model	Model Number
Clause Title	Marking or Instruction Details								
Power rating - Ratings	Ratings (voltage, frequency/dc, current)								
Power rating - Company identification	Listee's or Recognized companys name, Trade Name, Trademark or File Number								
Power rating - Model	Model Number								
<b>Special Instructions to UL Representative</b> <p>N/A</p>									

<b>BD1.0</b>	<b>TABLE: Production-Line Testing Requirements</b>					
<b>BD1.1</b>	<b>Electric Strength Test Special Constructions – Refer to Generic Inspection Instructions, Part AC for further information.</b>					
Model	Component	Removable parts	Test probe location	Test V rms	Test V dc	Test Time, s
N/A	--	--	--	--	--	--
<b>BD1.2</b>	<b>Earthing Continuity Test Exemptions – This test is not required for the following models:</b>					
	N/A					
<b>BD1.3</b>	<b>Electric Strength Test Exemptions – This test is not required for the following models:</b>					
	N/A					
<b>BD1.4</b>	<b>Electric Strength Test Component Exemptions – The following solid-state components may be disconnected from the remainder of the circuitry during the performance of this test:</b>					
	N/A					

<b>BE1.0</b>	<b>Sample and Test Specifics for Follow-Up Tests at UL</b>				
Model	Component	Material	Test	Sample (s)	Test Specifics
N/A	--	--	--	--	--