

This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version: Version 3.3.1.0 2. Release Note Reference Number: i-PRO Configuration Tool V3.3.1.0

Contents Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update) **Priority Rank** VER Level **Release Date** ABCU Description First release (Improvement from Panasonic Security System Configuration Tool (PSSCT) V7.1.0.2) New GUI design based on Windows recommended pattern - Modes selectable according to the skill level: Basic mode (purpose-specific) / Professional mode (full-functional) - Search filter function on the device list (Switching search filter between "Search All" and search items is possible) - Dynamic menu control (NOT to display "unnecessary" menu and buttons) - Improved such as sequence update in progress and operation cancellation process 2. New function: Thumbnail-roll 1.0.0.0 U - Allows for easy confirmation of the images from cameras (with enlargeable and refreshable images) April,'20 8. New function: Auto-checking / Upgrading to the latest firmware - Supports with checking, acquiring and upgrading new firmware . New function: Auto-Error Grouping / Error Resolution Assistant - Guides to resolve errors such as "Credential mismatch" 5. Perfomance improvement: Reduction in time for upgrading firmware (When upgrading 128 cameras, the time for upgrading can be reduced to one-seventh compared to the conventional tool.) Supports new cameras: WV-X1551LN, WV-X2551LN and WV-X2251L 2. Supports new firmware version: WJ-NX400 V4.0, WJ-NX300 V4.0 and WJ-NX200 V4.0 1.1.0.2 U July,'20 Improvement in "Configure Cameras" Improved the below items for the "Date/time" setting in multiple cameras - Changed the button name from "Date/time" to "Set PC time to the camera" so that it clearly describes how it works - Improved the time setting operation using "Set PC time to the camera" to remove time lags that may occur when setting multiple cameras Supports new cameras: WV-X1571LN, WV-X2571LN, and WV-X2271L Supports new firmware version: WJ-NX400 V4.1, WJ-NX300 V4.1, and WJ-NX200 V4.1 1.2.0.1 U Oct.,'20 Supports camera status display: Added a new function "Status of Cameras" to retrieve and display "Continuous operation" of cameras Supported cameras: i-PRO Extreme series and WV-SFN/SFR/SFV/SPN/SPW/SPV series * For details, refer to "Available function list for each compatible device.pdf" included in the package Integration of "Extension Software Registration Tool" Added a new function "Ext. Software Management" to allow users to: - register extension software - issue/ register/ delete Registration key Registration status of each extension software/ Registration key will be listed in the device list. 1.3.0.1 U . Supports WV-CU980 firmware update Nov.,'20 Added "Enable the WV-CU980 firmware update operation" checkbox under [Update Firmware] in [Option]-> [Communication]. Default: Unchecked Supports pop-up notification display Notifies users of useful information of our products.



This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version: Version 3.3.1.0

2. Release Note Reference Number: i-PRO_Configuration_Tool_V3.3.1.0

VER Release Date	Priority Rank Level					Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update)			
		Α	В	c	U	Description			
Added in I	March	, 20	21	1	×	1. Supports new cameras except for [Configure Cameras] fucntion (supported in V1.5.0.4) : WV-S4151, WV-S4551L, WV-X4172, WV-X4173, and WV-X4573L			
					x	2. Supports recorder's new firmware version: WJ-NX400 V4.2, WJ-NX300 V4.2, and WJ-NX200 V4.2			
	С				x	 3. Supports WV-XAE203W AI Non-Mask Detection(US only) by enabling: registration of WV-XAE203W - issuance/ registration/ removal of Registration key 			
					х	4. Added "Log Files" checkbox to [Download Files] in Basic mode *The same function as in Professional mode			
1.4.0.1 Jan.,'21					x	 Enables IP address assignment based on "MAC-IP configuration file" IP address can be set according to the definition in "MAC-IP setting file" by following the steps below: Create "MAC-IP setting file" to define the combination of MAC address and IP address in CSV format. Go to [Change IP Address] and import the CSV file. *Sample "MAC-IP setting file" will be displayed in "File name" under [Change IP Address]-> [Assign based on MAC-IP configuration file]. 			
								x	
					x	 [Configure Cameras] function supports the following cameras: WV-S4151, WV-S4551L, WV-X4172, WV-X4173, and WV-X4573L 			
					x	2. Supports new cameras: WV-S8531N and WV-X8571N			
					x	3. Supports recorder's new firmware version: WJ-NX400 V4.3, WJ-NX300 V4.3, and WJ-NX200 V4.3			
1.5.0.4 Mar.,'21	U				x	 4. Supports version 1.10 of i-PRO Extreme U-series cameras as below: Added the image capture size "2688x1520" as a maximum resolution (Applicable models: WV-U1142/WV-U2142L/WV-U1542L/WV-U2542L/WV-U2140L/WV-U2540L) Changed the default setting in [Network Settings] from "Auto(Advanced)" to "DHCP". (Applicable models: WV-U1132/WV-U1142/WV-U2132L/WV-U2142L/WV-U1532L/WV-U1542L/WV-U2532L/WV-U2542L/WV-U2130L 5. Supports server certificate check in SSL communication for security enhancement. 			
					x	 6. Supports WV-XAE207W AI Occupancy Detection(US only) by enabling below operations on i-PRO Configuration Tool: Install WV-XAE207W on a camera Issue the Registration key by accessing Key Management System Register the Registration key on a camera Configure the settings of WV-XAE207W installed in a camera Uninstall WV-XAE207W from a camera 			

] is checked in the recorder's setting. bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders].
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration
bading the file in [Configure Recorders]. version 3.10 or later, when uploading the configuration



This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version: Version 3.3.1.0

2. Release Note Reference Number: i-PRO_Configuration_Tool_V3.3.1.0

VER Release Date	Pı		ty Ra evel	nk	Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update)
		Α	в	ว บ	Description
Added in a	Aug.,	202	1	×	 Supports new cameras: WV-S1136, WV-S2136L, WV-S236L, WV-S2136, WV-S1536L, WV-S1536LN, WV-S2536L, and WV-S2536LN *Firmware version of those cameras need to be 1.11 or later
				x	 Added the "Camera Advanced Settings" window to enable camera individual settings on this tool. Applicable camera models: WV-S1136, WV-S2136, WV-S2136L, WV-S2236L, WV-S1536L, WV-S1536LN, WV-S2536L, and WV-S2536LN *"Camera Advanced Settings" window can be opened from the thumbnail menu on the main screen.
Added in .	July, 2	2021	1	\mathbf{x}	3. Supports recorder's new firmware version:
				^	WJ-NX400 V4.40, WJ-NX300 V4.40, WJ-NX200 and WJ-NX100 V4.40
2.0.0.6	U			x	 4. Supports the following new extension software: - AI Face Detection, AI People Detection, AI Vehicle Detection, and WV-SAEASF Type5
June,'21				x	 5. Supports the setting and operation check of the following extension software on the "Camera Advanced Settings" window: - AI Video Motion Detection (AI-VMD), AI Privacy Guard, AI Non-Mask Detection (WV-XAE203W), AI Occupancy Detection (WV-XAE207W), AI Face Detection, AI People Detection, AI Vehicle Detection, and WV-SAEASF Type5
				x	6. Added new setting items "Audio" and "QoS" to [Configure Cameras] Applicable camera models: i-PRO Extreme series cameras
				x	7. Supports the following languages:
Added in A	Aug., 2	202	1		Russian, French, Spanish, German, Italian, and Portuguese
				x	 8. Improved [Update Firmware] to perform firmware upgrade of WJ-NX100 and other devices separately. *WJ-NX100 has PoE function for cameras
				x	1.Improved the "Log in" window when login fails: Displays "Initialize all previously registered credentials and start the tool" at the first login failure.
2.1.0.0				x	 Improved the visibility of the Device list: Added vertical lines to the title bar of the device list to separate each item.
July,'21	U			x	3. Improved the firmware upgrade log for a recorder so that serial number of the recorder is always included.
				x	4. Added a pop-up message when using extension software: Displays the following message to recommend the installation of the latest version of product firmware and extension software on the "App.Installation "Please use the latest version of software and product firmware.(Please connect to the Internet and get the latest version.)"
				x	1. Supports new cameras: WV-U1130A, WV-U1132A, WV-U1142A, WV-U1532LA, WV-U1542LA, WV-U2130LA, WV-U2132LA, WV-U2140LA, WV-U2142LA, WV-U2530LA,
				x	2. Supports recorder's new firmware version: Version 4.50 of WJ-NX400, WJ-NX300, WJ-NX200, and WJ-NX100
2.2.0.4 Oct.,'21	U			x	 Supports the "Camera Advanced Settings" function for the following cameras: Version 1.50 or later of WV-X2571LN, WV-X2551LN, WV-X2271L, WV-X2251L, WV-X1571LN, and WV-X1551LN Note: "Camera Advanced Settings" window can be opened from the thumbnail menu on the main screen.
				x	 Supports displaying multicast transmission images on the "Camera Advanced Settings" window: Applicable models: WV-X2571LN, WV-X2551LN, WV-X2271L, WV-X2551L, WV-X1571LN, and WV-X1551LN WV-S1136, WV-S2136L, WV-S2236L, WV-S2136, WV-S1536L, WV-S1536LN, WV-S2536LN, WV-S1536LTN, and

on/Update" and "Issuance of Reg.Key" menu.
A, WV-U2532LA, WV-U2540LA, and WV-U2542LA
nd WV-S2536LTN



This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version : Version 3.3.1.0

2. Release Note Reference Number: i-PRO_Configuration_Tool_V3.3.1.0

VER Release Date	Р		ity Ra evel	ank	Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update)
		Α	в	clu	Description
				x	1. Supports new cameras: WV-S4176, WV-S4576L(M), WV-S4156, and WV-S4556L(M)
				x	2. Supports recorder's new firmware version: Version 4.60 of WJ-NX400, WJ-NX300, WJ-NX200, and WJ-NX100
2.3.0.3 Nov.,'21 Added in De				x	 Supports [App. Installation/Update], [Issuance of Reg.Key], [Registration of Reg.Key] and [Remove App./Reg.Key] for the following new extension so - AI-VMD/AI People Counting for 360-degree fisheye ([App. Settings] including acquisition of people count data is also supported) AI Privacy Guard for 360-degree fisheye
	с			x	4. Supports the installation of WV-XLE001W (AI Processor Activation License) and 3rd party applications.
	ec., 2	2021		×	 Added JPEG, Stream, and Audio settings to "Camera Advanced Settings" window for the following cameras: Version 1.60 or later of WV-X2571LN, WV-X2551LN, WV-X2271L, WV-X2251L, WV-X1571LN, and WV-X1551LN Note: "Camera Advanced Settings" window can be opened from the thumbnail menu on the main screen.
				x	 6. Fixed the following issue: Downloading configuration files and logs fails due to a communication error when upgrading NX series recorder to version 4.50 or later. Note: iCT completes firmware upgrade successfully even when this issue occurs. Occurrence condition:
					- Upgrade firmware of NX series recorder to version 4.50 or later on this tool - "Download Configuration files and Logs before and after firmware update" is checked on the [Option] window-> [Communication]-> [Update Firmware update]
	U			x	 Supports new setting items of the extension software "AI People Detection" and "AI Vehicle Detection". The following settings have been added to the "Camera Advanced Settings" window. AI People Detection : [Period to become bestshot target (sec)] and [Distance moved to become bestshot target (%)] AI Vehicle Detection : [Period to become bestshot target (sec)]
2.4.0.3 Feb.,'22					Note: Al People Detection and Al Vehicle Detection need to be upgraded to version 1.10 or later.
				x	 Improved to access the camera via an appropriate browser *This improvement includes the support for Microsoft Edge IE mode When accessing the camera from the device list via a browser, iCT automatically opens an appropriate browser for each camera according to the m browser setting.
					updating to this version: It this version initializes the settings of this tool, set the user authentication at startup and configure the settings on the [Option] window again in versior
				x	 Supports new cameras: WV-S8543(L), WV-S8544(L), WV-S8563L, WV-S8564L, WV-S8573L and WV-S8574L Note on above models: Camera setting on the [Configure Cameras] window may result in an error in the [Level] of [Day & Night]. In this case, overwrite the level setting by selecting a value from 0 to 3 in [Day & Night]-> [Level] on the [Configure Cameras] window
3.0.0.1	Ac U	dded	in A _l	or., 20	- WV-S15500-V3LN, WV-S15700-V2LN, WV-S22500-V3L, WV-S22700-V2L, WV-S25500-V3LN and WV-S25700-V2LN
Apr.,'22				x	2. Supports recorder's new firmware version: Version 5.00 of WJ-NX400, WJ-NX300, WJ-NX200 and WJ-NX100
				×	 Supports Windows 11. *Performance tested with Windows 11 Pro only.
				x	4. Changed company name from "Panasonic i-PRO Sensing Solutions Co., Ltd." to "i-PRO Co., Ltd."
					4/6

software:
ware] in iCT
model number, firmware version and Windows default
ion 3.0.
] window.



This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version: Version 3.3.1.0 2. Release Note Reference Number: i-PRO_Configuration_Tool_V3.3.1.0

Contents Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update) **Priority Rank** VER Level **Release Date** ABCU Description . Supports new cameras: - WV-S15500-V3L, WV-S15500-V3LN1, WV-S15500-V3LK, WV-S15600-V2L, WV-S15600-V2LN, WV-S15700-V2L, WV-S15700-V2LK, WV-S2250 WV-S22600-V2LG, WV-S22700-V2L1, WV-S22700-V2LG, WV-S25500-V3L, WV-S25500-V3LG, WV-S25500-V3LN1, WV-S25600-V2L, WV-S25 WV-S25700-V2LG, WV-S25700-V2LN1, WV-S15500-F3L, WV-S15500-F6L, WV-S22500-F3L, WV-S22500-F6L, WV-S25500-F3L, WV-- WV-S71300-F3 3.1.0.3 U June.'22 2. Supports the new setting item for the extension software "AI People Detection" - Added the [Attribute extraction for bag and shoes] On/Off setting to the [Bestshot setting] menu. 3. Supports the new setting items for camera protocols: - Added "LLDP", "MQTT" and "SFTP" settings to the [Network] setting on the "Camera Advanced Settings" window. Supports new cameras: - New S-series PTZ camera: WV-S65340-Z4K, WV-S65340-Z4N, WV-S65340-Z2K, WV-S65340-Z2N, WV-S61302-Z4, WV-S61301-Z2 - New U-series PTZ camera*: WV-U65302-Z2, WV-U65302-Z2G, WV-U65301-Z1, WV-U65301-Z1G, WV-U65300-ZY, WV-U65300-ZYG, WV-U61301-Z2, WV-U61301-Z1, W *Note: [Camera Advanced Settings] window and [Ext. Software Management] window are not yet supported for New U-series PTZ cameras. 3.2.0.5 U Supports recorder's new firmware version: July,'22 Version 5.10 of WJ-NX400, WJ-NX300, WJ-NX200 and WJ-NX100 3. Supports the people counting fucntion of AI-VMD (WV-XAE200W). [Confirm the number of people count data] function has been added to the [App. Setting] window. 4. Supports the registration of CA certification for HTTPS connection in the [Certification Management]* setting. *Renamed from [Configure IEEE802.1X] to [Certification Management] from this version. Supports new cameras: - New S-series PTZ camera: WV-S65302-Z2, WV-S65301-Z1, WV-S65300-ZY, WV-S61301-Z1, WV-S61300-ZY 3.3.0.4 2. Supports the [Camera Advanced Settings] and [Ext. Software Management] for the following cameras: U Oct.,'22 - New S-series PTZ camera: WV-S65302-Z2, WV-S65301-Z1, WV-S65300-ZY, WV-S61301-Z1, WV-S61300-ZY - i-PRO mini Camera WV-S71300-F3

00-V3L1, WV-S22500-V3LG, WV-S22600-V2L, 6600-V2LG, WV-S25600-V2LN, WV-S25700-V2L, ⁻ 6L
/V-U61300-ZY, WV-U61300-ZYG



This document describes "i-PRO Configuration Tool" upgrade Information. 1. Release version: Version 3.3.1.0 2. Release Note Reference Number: i-PRO_Configuration_Tool_V3.3.1.0

Contents Priority Rank Level A : Recommend to apply (Major or serious update) B : When issue happened C : Maintenance timing U : Function /Performance improvement (Not Necessary to update) **Priority Rank** VER Level **Release Date** ABCU Description 3. Supports the [Camera Advanced Settings] for the following cameras: - U-series Network Camera: WV-U1130A, WV-U1132A, WV-U1142A, WV-U1532LA, WV-U1542LA, WV-U2130LA, WV-U2132LA, WV-U2140LA, WV-U2142LA, WV-U2530LA, WV-U2532LA, WV-U2540LA, WV-U2542LA Added the following pop-up message. This message appears when accessing a device in Microsoft Edge IE mode. Displayed message: i-PRO Configuration Tool version 2.4 or later creates a Microsoft Edge sitelist file, and changes the reference on the registry* to this sitelist file. 3.3.0.4 U The above change can affect the access to the other web pages in IE mode on the same PC. For details, contact your system administrator. Oct.,'22 *Applicable registry: InternetExplorerIntegrationSiteList (\HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Edge) 5. Supports the following new versions of the extension software released in the end of September, 2022: - WV-XAE200W (AI-VMD) V3.10 - AI Face Detection V1.30 - AI People Detection V1.30 - AI Vehicle Detection V1.30 - AI-VMD/AI People Counting for 360-degree fisheye camera V1.40 For the details of upgrade, refer to the release note of each extension software. Download available at Documentation Database This version applies to English(PAL) model "AdminVx_x_x_x_G.zip" and Chinese model "AdminVx_x_x_x_ch_version.zip" only 3.3.1.0 В . Corrected an issue where [Configure Cameras]* could not be operated. Dec.,'22 x *Camera batch setting